

Cumulative Index 1991

Volume 9

<i>March</i>	FIBEROPTICS IN ANESTHESIA , pages 1-198
<i>June</i>	CRITICAL ISSUES IN CRITICAL CARE , pages 199-453
<i>September</i>	MYOCARDIAL ISCHEMIA AND PERFORMANCE , pages 455-730
<i>December</i>	NEW DEVELOPMENTS IN PEDIATRIC ANESTHESIA , pages 731-950

Note: Page numbers of issue and article titles are in **boldface** type.

- Acetaminophen, overdose of, treatment, 340-342
- Acid-base balance, blood transfusions and, 877
- effect of liver disease on, 310
- Acidosis, in myocardial contraction, 479-482
- Acquired immunodeficiency syndrome (AIDS), ICU treatment, costs of, 427-428
- Action potential, changes in, in myocardial contraction, 476-478
- Acute physiology and chronic health evaluation, description, 439
- α -Adrenergic agonists, in pulmonary vasoconstriction, 236-237
- α -Adrenergic blockers, in myocardial ischemia, 596-598
- postoperative, 623-625
- in myocardial ischemia prevention, 593
- Adrenergic receptors, site and action, 644
- Adult respiratory distress syndrome (ARDS), anesthesia for, 415
- extracorporeal support of ventilation in, 256-257
- flow resistance in, 212
- monitoring of, 211-213
- PEEP in, 212
- prostaglandin E₁ and prostacyclin in, 237-238
- sepsis in, 289
- Advanced directive, description, 438
- Afterload, in cardiac output, 638
- Age, in cardiac monitoring, perioperative, 525-527
- as factor in atracurium administration, 785-788
- as factor in blood solubility of inhalational anesthetics, 767, 768
- as factor in minimum alveolar concentration, 770, 771
- as factor in vecuronium administration, 789-791
- Age rationing, description, 438-439
- Ageism, description, 438
- Airway, analgesia of, in awake fiberoptic intubation, 74-80
- maintenance of, in head-injured patients, 349-350
- in trauma victims, 402-406
- sub-glottic, problems associated with, 153-157
- upper, management of, in child with neuromuscular disease, 134-136
- in HELP syndrome, 159-161
- in obese patients, 130-134, 157-159
- problems associated with, 130-145
- sensory innervation of, 74-75
- Airway pressure, peak, measurement of, 213-214
- Alcohol, abuse of, recognition and treatment, 332
- Allocation, description, 439
- market, description, 441
- Marxian, description, 441
- Maximin, description, 441

- Allocation (*Continued*)
terminology related to, 437-446
Alloquot, description, 439
Alveolar concentration, minimum, of
inhalational anesthetics, 769-770
American College of Surgeons' triage
decision scheme, 399
Amines, vasoactive, effect on regional
circulation, 232
Amino acids, branch chain, in heart failure,
277-278
Ampicillin, and pseudomembranous colitis,
370
Amrinone, in ventricular dysfunction, 647-
648
Analgesia, epidural, caudal, for
postoperative pain in children, 806-810
lumbar, for postoperative pain in chil-
dren, 810-812
opioid, 755-756
thoracic, for postoperative pain in chil-
dren, 810-812
intrapleural, for postoperative pain in
children, 805
intrathecal, 755-756
patient-controlled (PCA), in children,
753-754
for postoperative pain in children, 803-
804
postoperative, caudal block for, 840-844
Anaphylaxis, chemotherapeutic agents
associated with, 295
Anemia, and myocardial ischemia,
postoperative, 620
in preterm infants, and perioperative risk,
893-895
Anesthesia, body temperature and, 849-864
in cardiac morbidity prediction, perioper-
ative, 534-535
in cardiac transplantation, 320-322
in children, 731-950
blood product management, 869-871
capnography in, 823-833
crystalloids in, 865
H₂-receptor antagonist use in, 733-734
history, 731-732
intravenous fluid therapy in, 867-868
isocapnic ventilation in, 826-828
narcotics in, 745-762
new developments, issue on, 731-932
patient-controlled, 753-754
preoperative fasting in, 865-866
preoperative medications for, 735-739
pulse oximetry in, 821-823
risk factors, 732-735
general, anesthetic drugs for, 414
in fiberoptic intubation, 50-51
versus spinal, in preterm infants, 891-
893
in head-injured patients, 353-354
inhalational, in children, 763-779
circulatory effects, 771-773
CNS effects, 770-771
hepatic effects, 776-777
hypotension and, 772
induction characteristics, 773-776
pharmacodynamics, 769-777
pharmacokinetics, 765-769
physicochemical properties of, 763-
764
renal effects, 776
respiratory responses, 773-776
stability of, 777
depth of, 775-776
minimum alveolar concentration of,
769-770
solubility of, 766-767
wash-in of, factors responsible for, 765,
766
wash-out of, 769
in liver transplantation, 311-312
local, in airway analgesia in awake fiber-
optic intubation, 78-79
in children, 846
in fiberoptic intubation, 49-50
in malignant hyperthermia, 917-918
in myocardial infarction, effects, 664-668
in myocardial ischemia, effects, 664-668
intraoperative, 592-604
postoperative, 626-629
risks, 556-559
preinduction of, 753
in preterm infants, 885-897
spinal versus general, 891-893
in pulmonary vasoconstriction, 239
regional, in children, 837-848
for circumcision, 804-805
intravenous, in children, 845
spinal, versus general, in preterm infants,
891-893
for high-risk neonates, 844-845
surface, in children, 845-846
thermoregulation during, in children,
856-858
thoracic, fiberoptic bronchoscopy in, 98
topical, in head and neck surgery, 113-
114
trauma, and critical care, 393-421. See
also *Trauma, victims of*.
future of, 416-417
history and philosophy, 393-394
intraoperative considerations, 411-413
during transport, 410-411
Anesthesiologist, trauma, role of, 400-401
Anesthetics. See *Anesthesia*.
Angina pectoris, in cardiac monitoring,
perioperative, 528
postoperative, in noncardiac surgical pa-
tients with coronary artery disease,
522-524

- stable, silent myocardial ischemia in patients with, 503
- unstable, silent myocardial ischemia in patients with, 503
- prognostic importance of, 505-506
- Angiography, radionuclide, in cardiac risk assessment in vascular surgery patients, 361
- Angiotensin-converting enzyme inhibitors, in pulmonary vasoconstriction, 236
- Angiotensin II, effect on regional circulation, 233
- Anion exchange resins, for pseudomembranous colitis, 372
- Ankylosis, temporomandibular joint, bilateral, fiberoptic laryngoscopy in, case study, 114-116
- Antacids, in pediatric anesthesia, 734
- in prevention of stress ulcer bleeding, 374
- Antibiotics, and pseudomembranous colitis, 370
- Anticholinergic agents, in fiberoptic intubation, 49
- in pediatric anesthesia, 739
- Antidepressants, tricyclic, overdose of, treatment, 335-336
- Antisialogogues, in awake fiberoptic intubation, 70-71
- APACHE, description, 439
- Apnea, perioperative, in preterm infants, 885-887
- ARDS. *See Adult respiratory distress syndrome.*
- Arrhythmias, fiberoptic bronchoscopy and, 171
- in immunocompromised patients, 292-293
- Arterial occlusion, acute mesenteric, in ICUs, 379-380
- Arterial oxygen tension, hypoxia and, 222
- Arteries, coronary. *See Coronary arteries.*
- Arthritis, rheumatoid, and fixed neck, endoscopic intubation for, 150-152
- Aspiration, during anesthesia, in children, 732-733
- in fiberoptic endoscopy, 145-150
- Aspirin, in myocardial ischemia, postoperative, 622-623
- Atenolol, in myocardial ischemia, silent, 510
- Atlanto-occipital extension, 58
- Atracurium, in children, 785-788
- Atropine, in awake fiberoptic intubation, 70-71
- in fiberoptic intubation, 49
- Autoregulation. *See Homeostasis.*
- Bacitracin, for pseudomembranous colitis, 372
- Barbiturates, for intracranial hypertension in head-injured patients, 353
- overdose of, treatment, 334-335
- in pediatric anesthesia, 738-739
- Benzodiazepines, in awake fiberoptic intubation, 72, 73
- overdose of, treatment, 333-334
- in pediatric anesthesia, 738
- Biochemical markers, of myocardial infarction, acute, 701-709
- Bleeding, gastrointestinal, controlled, anesthesia for, 145-146
- in immunocompromised patients, 296-297
- stress ulcer, incidence, 373-374
- α -Blockers, in myocardial ischemia, silent, 510
- in preoperative preparation of high-risk cardiac patients, 362
- Blood flow, coronary, radionuclide studies of, in silent myocardial ischemia detection, 496
- myocardial, determinants of, 455-456
- pathophysiology, 455-467
- oxygenation and, 219-228
- transmural, 457
- Blood products, in pediatric anesthesia, management of, 869-871
- Blood volume, estimation of, in pediatric anesthesia, 869-870
- Body temperature. *See also Thermoregulation.*
- afferent thermal sensing and, 850
- anesthesia and, 849-864
- central regulation and, 850-852
- effect of liver transplantation on, 315
- efferent responses and, 852-853
- monitoring of, 853-855
- indications, 854
- sites, 854-855
- thermometers for, 854
- Bone marrow transplantation, respiratory failure following, 289
- Bradycardia, halothane and, 772
- Bradykinin, effect on regional circulation, 233
- Brain injuries, incidence, 347
- intracranial hypertension following, 351-353
- management, 347-358
- anesthetic, 353-354
- initial, 348-351
- mortality rate, 348
- Breathing, spontaneous, implications of PEEP during, 205-206
- Breathing pattern, monitoring of, 203
- Bronchoscope, fiberoptic, choice of, 104-105
- development, 3-4
- in endotracheal tube positioning, 10

- Bronchoscope (*Continued*)
flexible, 35-42
cleaning and sterilization of, 38-40
components, 35-36
handling of, 37-38
rigid versus, 163-164, 168
storage, 36-37
trouble-shooting with, 107
uses, 108-109
Olympus PF-18M ultra-thin, 31
Bronchoscopy, fiberoptic, complications, 103-104
emergency equipment and monitoring for, 37
history, 8-9
pediatric, 163-174
clinical application in, 167-171
complications, 171-173
techniques, 165-167
techniques, 104-108
in thoracic anesthesia, 98
uses, 108-109
Bronchoscopy carts, contents of, 36-37, 43, 44
Bronchus, anatomy, 98-99
blockage of, endobronchial tubes for, 101-102
Bundles, in fiberoptic image transmission, 23-24
Bupivacaine, for caudal analgesia, in children, 842-844
for ilioinguinal and iliohypogastric nerve blocks, 838-839
for inguinal hernia repair, in children, 806
for penile analgesia, in children, 840
Buprenorphine, for postoperative pain in children, 803
Burns, neck contracture and microstomia following, airway problems associated with, 141-145
thermal, and changes in ionized calcium, in children, 876-879
transport-related problems, 410
Butyrophenones, in awake fiberoptic intubation, 72, 73

CABG. See *Coronary artery bypass graft*.
Caffeine, halothane, in congenital diaphragmatic hernia, 925-927
perioperative use of, in preterm infants, 889-891
Calcium, ionized, changes in, in children with thermal injuries, 876-879
in myocardial preservation, 681-684
Calcium antagonists, in myocardial ischemia, 598-601
Calcium channel blockers, in myocardial ischemia, silent, 510
in preoperative preparation of high-risk cardiac patients, 362-363
in pulmonary vasoconstriction, 236
Cancer. See *specific types or site*.
Capillaries, peripheral, oxygen transport to, 219-220
Capnography, in pediatric anesthesia, 823-833
accurate aspirating, 824-826
accurate flow-through, 826
waveform baseline in, elevation of, 828-830
waveform-interpretation, 830-831
and pulse oximetry, relationship, 833
waveform, plateau phase, 831-833
Capnometry, in pediatric anesthesia, 823
Captopril, in congestive heart failure, 642
Carbohydrates, administration of, effect on respiratory function, 268
Carcinoma. See *specific types or site*.
Cardiac insufficiency, metabolic support, 270-280
Cardiac metabolism, 270-274
effects of ischemia and hypoxia on, 274
Cardiac output, determinants of, 637-640
Cardiokymography, in myocardial ischemia detection, 538-539
Cardioplegia, blood, in myocardial preservation, 688
chemical, 678-686
warm, in myocardial preservation, 688
Cardioprotection, definition, 591
Cardiopulmonary insufficiency, severe, metabolic support in, 265-285
Cardiovascular disease, cardiac morbidity in, perioperative, 522-524
predictors of, 525-540
diagnostic testing, 530-534
intraoperative, 534-540
postoperative, 540
preoperative, 525-534
recent studies, 541-543
cardiac patients with, risks, 521-551
noncardiac surgical patients with, chest pain in, postoperative, 522-524
congestive heart failure in, 524
dysrhythmias in, 524
risks, 521-551
Cardiovascular system, disorders of, in immunocompromised patients, 292-295
effects of hypoxia on, 222-223
effects of liver disease on, 309
effects of liver transplantation on, 313-314
effects of metabolic support on, 278-280
Carlens tube, role in endobronchial intubation, 101
Catecholamines, classification of, 643
in congestive heart failure, 643-646
receptor stimulation of, 644

- Catheterization, cardiac, in cardiac morbidity prediction, perioperative, 534
- Catheters, pulmonary artery, diagnosis, 575-577
- suction, in fiberoptic intubation, 46
- Caudal blocks, in children, 840-844
- Cecal perforation, in acute colonic pseudo-obstruction, 376-377
- Ceftriaxone, as cause of biliary pseudolithiasis, 369
- Cells, oxygen transport to, determinants of, 223-224
- Central nervous system (CNS), disorders of, in immunocompromised patients, 299-302
- effect of liver disease on, 310
- inhalational anesthetic effects on, 770-771
- Cephalosporins, and pseudomembranous colitis, 370
- Cervical traction, trauma patient in, airway problems associated with, 136-139
- Charcoal, activated, in drug abuse, 333
- Chemotherapeutic agents, and altered mental status, 299-300
- and anaphylaxis, 295
- and hypotension, 295
- and pulmonary toxicity, 290-291
- Chest pain, in immunocompromised patients, 293-294
- operative, in noncardiac surgical patients with coronary artery disease, 522-524
- Children, anesthesia in, blood product management, 869-871
- crystalloids in, 865
- inhalational, 763-779
- intravenous fluid therapy in, 867-868
- local infiltration, 846
- new developments, issue on, 731-932.
- See also *Anesthesia, in children.*
- preoperative fasting in, 865-866
- regional, 837-848
- intravenous, 845
- surface, 845-846
- thermoregulation during, 849-864
- atracurium in, 785-788
- blood transfusion in, 871-880
- capnography in, 823-833
- caudal analgesia in, 806-810, 840-844
- circumcision in, regional anesthesia for, 804-805
- diaphragmatic hernia in, 899-912
- doxacurium in, 793
- fiberoptic bronchoscopy in, 163-174. See also *Bronchoscopy, fiberoptic, pediatric.*
- fiberoptic intubation in, 10-11
- inguinal hernia in, regional blockade for, 806
- isocapnic ventilation in, 826-828
- lumbar epidural analgesia in, 810-812
- maintenance fluid requirements in, during surgery, 866
- malignant hyperthermia in, 913-932
- mivacurium in, 793-796
- neuromuscular blocking agents in, 781-800
- ORG 9426 in, 796
- pain in, narcotics for, 745-762
- pancuronium in, 791-792
- pipecuronium in, 792-793
- postoperative pain in, management, 801-819
- preoperative fasting in, 731-743
- preoperative medication in, 731-743
- pulse oximetry in, 821-823
- succinylcholine in, 781-785
- third space losses in, during surgery, 866-867
- thoracic epidural analgesia in, 810-812
- D-tubocurarine in, 791-792
- vecuronium in, 788-791
- Chloral hydrate, in pediatric anesthesia, 738
- Cholecystitis, acute acalculous, in ICUs, 367-369
- diagnosis, 368
- incidence, 367
- pathogenesis, 368-369
- signs and symptoms, 367-368
- treatment, 368
- Cholesterol, in cardiac monitoring, perioperative, 529
- Chronic obstructive pulmonary disease (COPD), monitoring of, 209-211
- PEEPi in, 209-211
- Cimetidine, in pediatric anesthesia, 733-734
- Circulation, inhalational anesthetic effects on, 771-773
- mesenteric, anatomy, 379
- regional, chemical control of, 232-233
- nervous control of, 231-232
- pulmonary vascular resistance and, 230-231
- vasodilating drugs and, 229-233
- vasomotor regulation in, 231
- Circulatory depression, in neonates, inhalational anesthetics and, 772
- Circumcision, regional anesthesia for, 804-805
- Clindamycin, and pseudomembranous colitis, 370
- Clonidine, in myocardial ischemia, postoperative, 624, 627-628
- Clostridium difficile*, and pseudomembranous colitis, 369-372
- CNS. See *Central nervous system.*
- Coagulation, effect of liver disease on, 310-311
- effect of liver transplantation on, 314
- Cocaine, in nose vasoconstriction, 77-78
- overdose of, treatment, 337-338

- Codeine, for pain, 747
- Colitis, pseudomembranous, in ICUs, 369-372
- causes, 369-370
 - clinical features, 371
 - diagnosis, 371
 - treatment, 371-372
- Colloids, in initial resuscitation in trauma victims, 406-408
- Colon, acute pseudo-obstruction of, in ICUs, 375-378
- Colonoscope, bending section of, 26
- Olympus CF, 31
- Colonoscopy, in acute colonic pseudo-obstruction, 377
- Compliance, of the respiratory system, measurement of, 207-208
- Computed tomography (CT), in head-injured patients, 351
- single-photon emission, in myocardial infarction, perioperative, 712-713
- Congestive heart failure (CHF), in cardiac monitoring, perioperative, 528
- hemodynamics of, 640
 - in noncardiac surgical patients with coronary artery disease, 524
 - outcome studies, 670-672
 - pathophysiology, 640-641
- Contractility, in cardiac output, 638-640
- COPD. See *Chronic obstructive pulmonary disease*.
- Coronary arteries, pathophysiology, 455-459
- Coronary artery bypass graft (CABG), in myocardial ischemia, postoperative, 629
- previous, in cardiac monitoring, perioperative, 529-530
- Coronary artery disease, anesthesia in, risk factors, 559-561
- mortality factors, 359
 - stable, myocardial ischemia in, silent, 503-504
 - treatment, surgical, risk factors, 559-561
- Coronary circulation, autoregulation in, 456-458
- Coronary steal, in myocardial ischemia, acute, 465-466
- Coronary stenosis, 459-461
- Cost-benefit analysis, description, 440
- Cost-containment, description, 440
- Cost-effectiveness, description, 440
- Creatine kinase, in myocardial infarction, acute, 701-708
- Critical issues in critical care, 199-453
- Crystalloids, in initial resuscitation in trauma victims, 406-407
- in pediatric anesthesia, 865
- Curling's ulcers, 373
- Cushing's ulcers, 373
- Dantrolene, in malignant hyperthermia, 915-917
- Depression, suicidal, multiple trauma in, endoscopic intubation for, 149-150
- Desflurane, CNS effects, 771
- induction characteristics, 774
 - minimum alveolar concentration of, age and, 770
- Diabetes mellitus, in cardiac monitoring, perioperative, 528-529
- Diaphragmatic fatigue, malnutrition and, 266-267
- Diazepam, in awake fiberoptic intubation, 72, 73
- oral, in pediatric anesthesia, 738
- Dipyridamole thallium imaging, in cardiac risk assessment in vascular surgery patients, 361-362
- Dipyridamole-thallium imaging, preoperative, in cardiac morbidity prediction, perioperative, 533-534
- Diuresis, forced, in drug abuse, 332-333
- Diuretics, in congestive heart failure, 642
- for intracranial hypertension in head-injured patients, 352-353
 - thiazide, as cause of pancreatitis, 385
- Doxacurium, in children, 793
- Droperidol, in awake fiberoptic intubation, 72, 73
- in pediatric anesthesia, 739
- Drowning, victims of, intubation techniques, 1-2
- Drug abuse, diagnosis, 328
- epidemiology, 327-328
 - extracorporeal drug removal in, 331-332
 - medical complications, 330
 - toxicologic screening, 328-330
 - treatment, in ICUs, 327-345
- Drugs, in fiberoptic intubation, 48-51
- Dysrhythmias, in cardiac monitoring, perioperative, 529
- in cardiac morbidity prediction, perioperative, 539-540
 - in noncardiac surgical patients with coronary artery disease, 524
- ECG. See *Electrocardiography*.
- Echocardiography, in myocardial infarction, acute, 716-717
- precordial, in cardiac morbidity prediction, perioperative, 533
 - in myocardial ischemia detection, 582-583
- transesophageal, in cardiac morbidity prediction, perioperative, 533
- intraoperative studies with, 583-585

- two-dimensional, in intraoperative monitoring for myocardial ischemia, 581-590
- wall motion thickening abnormalities in, in perioperative cardiac morbidity prediction, 537-538
- ECMO. See *Extracorporeal membrane oxygenation*.
- Edema, pulmonary, in head-injured patients, 350
- Eicosanoids, effect on regional circulation, 232-233
- Elderly, head injuries in, 347
- Electrocardiography (ECG), ambulatory, in cardiac morbidity prediction, perioperative, 532-533
 - in myocardial ischemia detection, perioperative, 574-575
 - silent, 496
 - in myocardial ischemia prediction, postoperative, 611-612
- in cardiac risk assessment in vascular surgery patients, 360-361
- leads in, in myocardial ischemia detection, perioperative, 567-575
- in myocardial infarction, perioperative, 708-710
- in myocardial ischemia, 555-556
- in myocardial ischemia detection, perioperative, 567-575
- twelve-lead, in cardiac morbidity prediction, perioperative, 531-532
 - in myocardial ischemia detection, perioperative, 568-569
 - postoperative, 612-614
- Electrolytes, administration of, effect on respiratory function, 270
 - effect of liver disease on, 310
 - effect of liver transplantation on, 314
- Emboli, air, during intravenous fluid therapy, 868
- Embolization, mesenteric arterial, in ICUs, 380-381
- Enalapril, in congestive heart failure, 642
- Endobronchial tubes, changing of, 12
 - double-lumen, 99-102
 - positioning of, 12
 - correct and incorrect, 103, 104
 - role in endobronchial intubation, 99-103
 - single-lumen, 102-103
- Endoscope, airway, 31-32
 - fiberoptic, bending section and angulation system of, 28
 - gastrointestinal, 31
- Endoscopy, fiberoptic. See also *Fiberoptics; Intubation, fiberoptic*.
 - airway problems associated with, 130-145
 - aspiration risk in, 145-150
 - in a general hospital, 129-162
 - issue on, 1-193
 - in pediatric intensive care units, 9-10
 - techniques for tracheal intubation, 83-89
- Endotracheal tube, positioning of, 10
 - sizes, 47
- Endotracheal tubes, and flow resistance, 209
- Enflurane, CNS effects, 771
- Epiglottis, in fiberoptic laryngoscopy, 57-58, 59
- Esmolol, for hypertension in head-injured patients, 351
 - in myocardial ischemia, silent, 510
- Esophagitis, in immunocompromised patients, 298
- Ethics, definition, 423
 - in ICUs, 423-435
 - medical, consequential versus nonconsequential, 425
 - critical versus intuitive thinking in, 425-426
 - facts versus values, 424-425
 - health care spending and, 426-428
 - health care workers' fears and, 431-433
 - in ICUs, 423-435
 - living wills, 428-430
 - patient and physician disagreements, 430-431
 - withdrawing or withholding therapy, 428-430
- Excitation, in myocardial contraction, 472-474
- Excitation-contraction coupling, in myocardial contraction, 474-475
- Exercise testing, in cardiac risk assessment in vascular surgery patients, 361
- Exercise treadmill test, in cardiac morbidity prediction, perioperative, 532
 - in myocardial ischemia detection, silent, 495-496
- Extracorporeal circulation, in ICUs, 245-263
 - hemodialysis, 246-249
 - introductory concepts, 245-246
 - in sepsis, 256
- Extracorporeal drug removal (ECDR), 331-332
- Extracorporeal membrane oxygenation (ECMO), in congenital diaphragmatic hernia, 907-908
- Eye injuries, transport-related problems, 410
- Family, in malignant hyperthermia, 923-925
- Fasting, preoperative, in children, 731-743, 865-866
 - duration, 734-735
- Fat emulsions, intravenous, effect on respiratory function, 268-269
 - in pulmonary vasoconstriction, 238

- Fatty acids, oxidation of by the heart, 271-274
- Fentanyl, in awake fiberoptic intubation, 72-74
- in pain, 747
- pharmacokinetics, 749-751
- Fentanyl lollipop, in pediatric anesthesia, 753
- Fiberoptics, 1-198
- airway management in, and anesthesia, 129-162
- airways in, 47-48
- applications of, 187-193
- development, 3-8
- drugs in, 48-51
- equipment, 43-51
- electrical necessities, 43, 45
- endotracheal tubes, 47
- oxygen, 46
- portable carts, 43
- storage of, 46
- suction catheters, 46
- failures with, 157-161
- for head and neck patients, 111-127. *See also Head, and neck, surgery of, fiberoptics for.*
- history, 1-17
- introduction into anesthesia practice, 184-185
- issue on, 1-193
- problems associated with, 6-7
- uses, 1
- workshop surveys, 175-176
- Fiberscope, components, 22-30
- demonstration of, 178
- medical uses, 32-33
- Olympus LF-1, 23
- physics of, 19-34
- types, 30-32
- gastrointestinal, 31
- Flow resistance, in ARDS patients, 212
- endotracheal tubes and, 209
- measurement of, 208-209
- Flow-volume loops, measurement of, 201-202
- Fluids, effect of liver transplantation on, 314
- intravenous, in pediatric anesthesia, 867-868
- maintenance, for children during surgery, 866
- Fluoroscopy, in myocardial ischemia
- detection, silent, 497
- Frank-Starling curve, in cardiac transplantation, 318, 319
- Fresh frozen plasma, in pediatric anesthesia, 871
- Functional residual capacity, measurement of, 200
- Furosemide, for intracranial hypertension in head-injured patients, 353
- Gastric dilatation, acute, clinical features, 378-379
- conditions associated with, 378
- in ICUs, 378-379
- Gastrointestinal bleeding, controlled, anesthesia for, 145-146
- Gastrointestinal tract, bleeding in, in immunocompromised patients, 296-297
- disorders of, in ICUs, 367-391
- in immunocompromised patients, 296-299
- Glasgow Coma Scale, in head injury studies, 347-348
- Glass fibers, in fiberoptic image transmission, 23-24
- in fiberoptics, 3
- Glottis, problems associated with, endoscopic intubation for, 150-153
- Glucose-insulin-potassium solutions, in heart failure, 275-277
- Glucose metabolism, in the heart, 271
- Glycopyrrolate, in awake fiberoptic intubation, 70-71
- in fiberoptic intubation, 49
- in pediatric anesthesia, 734
- Guillain-Barré syndrome, plasmapheresis in, 255-256
- H₂-receptor antagonists, in pediatric anesthesia, 733-734
- Halothane, and bradycardia, 772
- induction characteristics, 773-774
- minimum alveolar concentration of, age and, 770
- respiratory responses to, 773-774
- Halothane caffeine contracture testing (HCCT), in congenital diaphragmatic hernia, 925-927
- Head, and neck, surgery of, fiberoptics for, 111-127
- case studies, 114-124
- premedication and sedation, 112-113
- technical aspects, 114
- topical anesthesia, 113-114
- Head injuries, in the elderly, 347
- intracranial hypertension following, 351-353
- management, 347-358
- anesthetic, 353-354
- initial, 348-351
- motor vehicle accidents as cause of, 347
- transport-related problems, 410
- Health care, in ICUs, costs of, 426-428
- Health care workers, health risk of, medical ethics related to, 431-433
- Heart, contractile apparatus of, activation of, in myocardial contraction, 475-476
- fuel metabolism in, 271, 272

- ischemic effects on, 472-474
- muscles of, glucose transport in, 273
- pumping ability of, during ischemia and reperfusion, impairment of, 470-472
- surgery of, as cause of pancreatitis, 386
- risks, 521-551
- transplantation of, 316-323
 - anesthesia in, 320-322
 - postoperative care, 322-323
 - postoperative extrahepatic complications, 317
 - preoperative considerations, 318-320
 - surgical procedure, 320
- Heart disease, and respiratory failure, 291
- Heart failure, in immunocompromised patients, 294
 - metabolic substrate support in, 275-278
- HELP syndrome, airway problems associated with, 159-161
- Hematocrit, hemoglobin and, 221-222
- Hemodialysis, in drug abuse, 331
 - in ICUs, 246-249
 - advantages, 247-248
 - complications, 248-249
 - disadvantages, 248-249
 - hypoxemia during, 249
 - indications, 247
 - technical considerations, 246-247
 - and peritoneal dialysis, comparison between, 253
- Hemodilution, continuous arteriovenous, in ICUs, 251-252
- Hemofiltration, continuous arteriovenous, in drug abuse, 332
 - in ICUs, 249-257
- Hemoglobin, and hematocrit, 221-222
 - and oxygen, relationship between, 220-221
- Hemoperfusion, in drug abuse, 331
- Hemorrhage, pulmonary, as cause of respiratory failure, 289-290
 - transport-related problems, 410
- Heparin, in myocardial ischemia, postoperative, 623, 624
- Hepatitis, ischemic, in ICUs, 383-384
 - clinical manifestations, 383
 - diagnosis, 383
 - incidence, 383
 - treatment, 383-384
- Hernia, diaphragmatic, congenital, 899-912
 - ECMO for, 907-908
 - embryology, 900
 - epidemiology, 900
 - historical overview, 899-900
 - management, 905-910
 - outcome, 902-903
 - pathophysiology, 900-905
 - severity of, 902-903
 - surgery for, respiratory system changes following, 904-905
 - timing of, 909-910
 - ventilation in, high-frequency, 906-907
 - mechanical, 905-906
 - inguinal, regional blockade for, in children, 806
- Histamine, effect on regional circulation, 233
- Histamine₂ blockers, in prevention of stress ulcer bleeding, 374-375
- Hoarseness, and fixed neck, endoscopic intubation for, 150-152
- Holter monitoring, in myocardial ischemia detection, perioperative, 574-575
 - silent, 496
 - in myocardial ischemia prediction, postoperative, 611-612
- Homeostasis, 456-458
 - definition, 456
- Hydralazine, in pulmonary vasoconstriction, 235-236
- Hydrogen ion buffers, in myocardial preservation, 685-686
- Hyperinflation, dynamic, measurement of, 200-201
- Hyperkalemia, blood transfusions and, 874-876
 - succinylcholine and, 784
- Hypertension, in cardiac morbidity prediction, perioperative, 536
 - in head-injured patients, 350-351
 - intracranial, in head-injured patients, monitoring and treatment, 351-353
- Hyperthermia, malignant, anesthesia for, 917-918
 - causes, 919-921
 - in children, 913-932
 - diagnosis, 913-914, 925-927
 - differential diagnosis, 914-915
 - family support in, 923-925
 - genetics in, 919
 - incidence, 913
 - pathogenesis, 922
 - presentation of, 915
 - signs and symptoms, 914, 917
 - target organ in, 921-922
 - treatment, 915-917
- Hyperviscosity syndrome, secondary to paraproteinemia, plasmapheresis in, 254-255
- Hypocalcemia, blood transfusions and, 876-879
- Hypoplasia, pulmonary, in congenital diaphragmatic hernia, 900-901
- Hypotension, in cardiac morbidity prediction, perioperative, 537
 - chemotherapeutic agents associated with, 295
 - in head-injured patients, 350
 - in immunocompromised patients, 294-295

- Hypotension (*Continued*)
 in neonates, inhalational anesthetics and, 772
- Hypothermia, blood transfusions and, 877-880
 and myocardial ischemia, postoperative, 619-620
 in myocardial preservation, 686-688
 perioperative, in children, 855-860
 benefits, 858-859
 causes, 856
 prevention, 859-860
 risks, 858-859
 treatment, 859-860
- Hypoxemia, during hemodialysis, 249
- Hypoxia, and arterial oxygen tension, 222
 cardiovascular adjustments to, 222-223
 effects on cardiac metabolism, 274
- ICUs. *See Intensive care units.*
- Images, transmission of, by fiberoptics, physics of, 20-22
- Immune-mediated neurologic dysfunction, plasmapheresis in, 255
- Immune system, effects of protein-calorie malnutrition on, 266
- Immunity, cell-mediated, defective, in respiratory failure, 288
 humoral, defective, in respiratory failure, 288
- Immunocompromised host, cardiovascular disorders in, 292-295
 critical care of, 287-306
 gastrointestinal tract disorders in, 296-299
 neurologic disorders in, 299-302
 respiratory failure in, 287-292
- Infants, fiberoptic bronchoscopy in, 163-174. *See also Bronchoscopy, fiberoptic, pediatric.*
 fiberoptic intubation in, 10-11
 inhalational anesthetics in, 763-779
 laryngomalacia in, 168-170
 preterm, and anemia, perioperative risk, 893-895
 anesthesia in, reviews, 885-888
 spinal versus general, 891-893
 definition, 885
 perioperative apnea in, 885-897
 perioperative use of caffeine in, 889-891
 spinal taps in, 844
- Infection, as cause of respiratory failure, 287-289
 fiberoptic bronchoscopy and, 171
- Inotropes, in myocardial ischemia, 603-604
- Insertion cord, components, 22-30
- Insertion tubes, components, internal, 27
 fiberoptic bronchoscope, 26
- Inspiratory impedance, effective, 205
- Inspiratory pressure, maximal, measurement of, 202-203
- Intensive care unit entitlement index, description, 441
- Intensive care unit medical director, description, 441
- Intensive care units (ICUs), admission/discharge criteria for, 438
 continuous arteriovenous hemodifiltration in, 251-252
 continuous arteriovenous hemofiltration in, 249-251
 drug-overdosed patients in, treatment, 327-345
 ethics in, 423-435
 extracorporeal methods in, 245-263
 gastrointestinal crises in, 367-391
 hemodialysis in, 246-249
 pediatric, fiberoptic endoscopy in, 9-10
 peritoneal dialysis in, 252-253
 plasmapheresis in, 253-256
- Intestinal infarction, nonocclusive, in ICUs, 381-382
- Intra-aortic balloon pump (IABP), in myocardial ischemia, postoperative, 626
- Intracranial pressure, increased, in head-injured patients, 348, 351-353
- Intubation, endobronchial, fiberoptic-assisted, 107-108
 endotracheal, 2
 in trauma victims, indications, 402-406
 fiberoptic. *See also Endoscopy, fiberoptic.*
 awake, airway analgesia, 74-80
 indications, 70
 patient preparation, 69-81
 premedication in, 69-71
 sedation in, 71-74
 cognitive skills for, 177
 endobronchial, 97-109. *See also Bronchoscopy, fiberoptic.*
 endoscopic, advantages, 94-95
 complications, 90, 94
 disadvantages, 94-95
 in patients with difficult airways, 90
 in patients with unpredicted difficult airways, 89-90
 successful, 95
 failure of, causes, 176
 incidence, 176
 oral and nasal, with single-lumen tube, 83-96
 problems associated with, predictability of, 63-67
 proficiency in, determination of, 182-184
 teaching method, 178-182
 technique skills, acquirement of, 175-186

- tracheal, fiberoptic endoscopy techniques, 83-89
- in head-injured patients, 349
- tracheal, fiberoptic, pediatric, 10-11
 - technique skills, acquirement of, 12-13
 - history, 1-3
- Intubation model, 179-180
- Ischemia, definition, 461
 - effects on cardiac metabolism, 274
 - myocardial, acute, diastolic and systolic function during, 472-482
 - mechanisms of, 455-467
 - anesthetic effects, 664-668
 - cardiac effects, 472-474
 - cardiac pump function during, impairment of, 470-472
 - cardiokymographic detection of, 538-539
 - cellular effects, 469-492
 - consequences, 462
 - diagnostic criteria, 571-574
 - ECG in, 555-556
 - electrical and ionic markers of, 462
 - free radical generation in, 691
 - historical background, 469-470
 - in immunocompromised patients, 293-294
 - injury related to, reversible to irreversible, 486-487
 - intraoperative, 591-607
 - causes, 591-592
 - detection of, 363
 - prevention, anesthetic agents in, 592-594
 - treatment, anesthetic agents in, 594-604
 - intraoperative monitoring for, two-dimensional TEE in, 581-590
 - issue on, 455-723
 - laboratory examination in, 554-555
 - left-sided, diagnosis, ECG in, 567-569
 - manifestations, 461-462
 - mechanical effects, 469-492
 - metabolic changes mimicking, 573-574
 - noncardiac surgery in patients with, risk factors, 556-559
 - perioperative, diagnosis, 567-579
 - outcome studies, 661-670
 - in perioperative cardiac morbidity prediction, 537-539
 - physical examination in, 554
 - postbypass, outcome studies, 668-670
 - postoperative, 609-635
 - CABG surgery in, 629
 - decrease in, anesthetic technique and, 626-629
 - demographics of, 610-611
 - detection, 612
 - future directions, 629-630
 - incidence, 612-614
 - and infarction, differences between, 616-617
 - outcome studies, 668-670
 - oxygen supply in, 620-622
 - and postoperative stress response, 618-620
 - predictors of, 610-611
 - risk factors, preoperative testing for, 611-612
 - timing of, 614
 - treatment, 614-618, 622-625
 - prebypass, outcome studies, 661-664
 - preoperative, outcome studies, 661-664
 - preoperative assessment, 553-556
 - preoperative preparation in, 553-565
 - prevention, 630
 - pulmonary artery monitoring of, 538
 - silent, 493-519
 - during ambulatory ECG monitoring, 506
 - in angina, stable, 503
 - unstable, 503
 - prognostic importance of, 505-506
 - in asymptomatic individuals, 501-502
 - prognostic importance of, 504
 - continuous ambulatory ECG monitoring in, 496
 - in coronary artery disease, stable, 503-504
 - coronary blood flow studies in, 496
 - in coronary disease, 502
 - definition, 494
 - detection, methods, 495-498
 - exercise treadmill testing in, 495-496
 - fluoroscopic examination in, 497
 - hemodynamic monitoring during, 497
 - metabolic abnormalities in, 497
 - in myocardial infarction, prognostic importance of, 505
 - pain perception in, abnormal, 494-495
 - pathophysiology, 498-501
 - in patients with acute myocardial infarction, 502-503
 - pharmacologic "stress" imaging in, 497-498
 - prevalence, 501-504
 - prognostic importance of, 504-507
 - regional wall motion abnormalities in, 496-497
 - severity of ischemic episodes in, 495
 - stable angina exercise-induced, prognostic importance of, 506
 - in surgical patients, prognostic importance of, 506-507
 - treatment, antianginal drugs, effects, 508-509

- Ischemia (*Continued*)
 mechanical revascularization, 512-513
 pathophysiologic basis for, 508
 pharmacologic, 509-512
 rationale for, 508
 treatment, preoperative, 559-561
 surgical, perioperative monitoring during, 561-563
 right ventricular, in detection of perioperative myocardial ischemia, 569
 Ischemic bowel disease, in ICUs, 379-382
 Ischemic syndromes, acute, in ICUs, 379-382
 Isoflurane, in children, age and, 770, 771
 effect on preterm infants, 772
 Isopropyl alcohol, abuse of, recognition and treatment, 332
 Isoproterenol, in pulmonary vasoconstriction, 236-237
- Ketamine, in pediatric anesthesia, 739
 Ketanserin, in postoperative myocardial ischemia, 624
 Kidney, effect of liver disease on, 309-310
 effect of liver transplantation on, 314
 inhalational anesthetic effects on, 776
 Kidney transplantation, as cause of pancreatitis, 396
- Labetolol, for hypertension in head-injured patients, 351
 Lactate, in heart failure, 277
 Laryngeal nerves, superior, nerve blocks of, 60-61
 in airway analgesia in awake fiberoptic intubation, 75-77
 Laryngomalacia, pediatric bronchoscopy for, 168-170
 Laryngoscope, AMR, 189, 191
 Bullard, 191
 fiberoptic, components, 22-30
 Olympus LF-1, 31, 32
 pediatric, Olympus LF-P, 31
 Pentax F1-10P, 32
 Roberts, 189, 190
 Laryngoscopy, fiberoptic, anatomy, 53-61
 epiglottis, 57-58, 59
 nasal passages, 53-54
 oral cavity, 54-55
 pharynx, 55, 56
 trachea, 58-60
 patient positioning for, 61
 history, 1-3
 monitoring for, 46
- Larynx, cancer of, persistent cuff leak in, 153-155
 in fiberoptic laryngoscopy, 57-58
 innervation of, 60, 75
 visualization of, steps in, 86
 Laser therapy, fiberoptics in, 33
 Leads, ECG, in detection of perioperative myocardial ischemia, 567-575
 Left ventricular end-diastolic pressure (LVEDP), increase in, and myocardial ischemia, 575-577
 Lidocaine, in airway analgesia in awake fiberoptic intubation, 78-79
 in caudal analgesia, in children, 842-844
 in penile analgesia, in children, 840
 Light source, in fiberoptic image transmission, 28, 29
 in fiberoptic intubation, 43, 44
 Line of vision, in fiberoptic intubation, 66
 Lipids, administration of, effect on respiratory function, 268-269
 cardiac utilization of, 271
 Lithium, toxicity, treatment, 332
 Liver, dysfunction of, in
 immunocompromised patients, 298-299
 inhalational anesthetic effects on, 776-777
 Liver disease, pathophysiology, 308-310
 Liver transplantation, 307-316
 anesthesia in, 311-312
 indications, 308
 intraoperative problems associated with, 313-315
 postoperative intensive care, 315-316
 preoperative considerations, 308-311
 surgical technique, 312-313
 Living wills, medical ethics and, 428-430
 Lorazepam, in pediatric anesthesia, 738
 Lung volume, measurement of, 200-201
 Lungs, effect of liver disease on, 309
 effect of liver transplantation on, 314
- Magnesium, in myocardial preservation, 684
 Malnutrition, as cause of cardiopulmonary insufficiency, 265-285
 and diaphragmatic fatigue, 266-267
 effect on respiratory drive, 267
 and mechanical ventilation, 267-268
 protein-calorie, effect on the immune system, 266
 Mannitol, for intracranial hypertension in head-injured patients, 352-353
 Masseter muscle, spasticity of, in malignant hyperthermia, 918-919
 succinylcholine and, 783
 Maxillofacial injuries, transport-related problems, 410
 Mechanical system, in fiberoptic image transmission, 25-28

- Mediastinum, masses of, fiberoptic laryngoscopy in, case study, 121-124
- Medical futility, description, 441-442
- Mental status, altered, in immunocompromised patients, 299-300 management, 300-302
- Meperidine, for pain, 747
- Metabolism, changes in, in detection of silent myocardial ischemia, 497
- Methadone, for pain, 747, 754-755
- Methanol, abuse of, recognition and treatment, 332
- Metoclopramide, in pediatric anesthesia, 734
- Metronidazole, for pseudomembranous colitis, 372
- Microstomia, following burn, airway problems associated with, 141-145
- Midazolam, in awake fiberoptic intubation, 72, 73 in pediatric anesthesia, 738
- Mivacurium, in children, 793-796
- Morphine, in awake fiberoptic intubation, 72-74 in caudal blockade, 809-810 in pain, 747, 755-756 postoperative, in children, 801-803 pharmacokinetics, 749-750 in postoperative myocardial ischemia, 628 and respiratory depression, 810
- Mortality prediction model, description, 439
- Motor vehicle accidents, head injuries resulting from, 347 and trauma deaths, 395
- Mouth occlusion pressure, measurement of, 203-205
- MPM, description, 439
- Mucositis, oral, in immunocompromised patients, 297-298
- Mucous membranes, analgesia of, 846
- Multiple system organ failure, sepsis and, anesthesia for, 415-416
- Muscles, respiratory, metabolism and function of, 266-267
- Myocardial contraction, cellular mechanism of, 472-478
- Myocardial infarction, acute, biochemical markers of, 701-708 echocardiography in, 716-717 myocardial ischemia, 455-730 silent, 502-503 prognostic importance of, 505 anesthetic effects, 664-668 cardiac morbidity in, perioperative, 522 and myocardial ischemia, postoperative, differences between, 616-617 perioperative, diagnosis, 699-723 ECG in, 708-710 outcome studies, 657-661 radionuclide imaging in, 710-716 risk factors, 658 postoperative, oxygen supply in, 620-622 previous, in cardiac monitoring, perioperative, 527-528
- Myocardial preservation, calcium in, 681-684 during cardiac surgery, 677-698 cardioplegia in, blood, 688-689 warm, 688 controversies concerning, 688-694 H⁺ buffers in, 685-686 hypothermia in, 686-688 immature myocardium and, 693-694 magnesium in, 684 metabolic considerations, 678 metabolic demand in, reduced, 678-686 postassium in, 679-681 reduced metabolism in, 686-688 reperfusion injury in, 690-692 sodium in, 684-685
- Myocardium, hibernating, 483-484 immature, in myocardial preservation, 693-694 ischemic, 482-483 stunned, 484-486
- Nager-Reynier syndrome, fiberoptic laryngoscopy in, case study, 119-121
- Narcotics, in awake fiberoptic intubation, 72-74 in caudal blockade, 809-810 epidural, for pain, 755-756 intrathecal, for pain, 755-756 in myocardial ischemia, postoperative, 624 in newborn surgery, 751-753 in pediatric anesthesia, 736-738, 745-762 spinal, for pain, 756
- Nasal passages, in fiberoptic laryngoscopy, 53-54
- Nasal septum, sensory distribution of, 55
- Nasal wall, sensory distribution of, 54
- Neck, anatomy, 76 contracture of, following burn, airway problems associated with, 141-145 fixed, and hoarseness, endoscopic intubation for, 150-152 gun shot wound of, endoscopic intubation for, 146-149 and head; surgery of, fiberoptics for, 111-127. See also *Head, and neck, surgery of, fiberoptics for.*
- masses of, fiberoptic laryngoscopy in, case study, 121-124
- Neonates, inhalational anesthetic effects on, bradycardia, 772 circulatory depression, 772 hypotension, 772 preterm, inhalational anesthetics in, 770

- Neonates (*Continued*)
 isoflurane in, 772
 spinal anesthesia for, 844-845
- Nerve blocks, in children, ilioinguinal, 837-839
 of the penis, 839-840
 diagram, 76
 iliohypogastric, 837-839
 transtracheal, in airway analgesia in awake fiberoptic intubation, 79-80
- Nerves, iliohypogastric, regional anesthesia of, 837-839
 ilioinguinal, regional anesthesia of, 837-839
- Neuromuscular blocking agents, in children, 781-800
 atracurium, 785-788
 clinical perspective, 796-797
 doxacurium, 793
 mivacurium, 793-796
 ORG 9426, 796
 pancuronium, 791-792
 pipecuronium, 792-793
 succinylcholine, 781-785
 D-tubocurarine, 791-792
 vecuronium, 788-791
 in fiberoptic intubation, 51
 nondepolarizing, in children, in clinical trials (1990-1991), 793-796
 in clinical use, 785-793
- Neuromuscular disease, airway problems associated with, 134-136
- Neutropenia, in respiratory failure, 287-288
- Newborns, surgery in, narcotic anesthesia for, 751-753
- Nifedipine, in congestive heart failure, 642
 for hypertension in head-injured patients, 350
 in myocardial ischemia, postoperative, 624
 silent, 510
 in pulmonary vasoconstriction, 236
- Nitrites, in congestive heart failure, 642
 in myocardial ischemia, silent, 510-512
 in pulmonary vasoconstriction, 234-235
- Nitroglycerin, in myocardial ischemia, 594-596
 postoperative, 623, 624
 in preoperative preparation of high-risk cardiac patients, 362
 in pulmonary vasoconstriction, 234, 235
 in right ventricular dysfunction, 651
- Nitroprusside, in head-injured patients, 354
 in myocardial ischemia, 602-603
 in pulmonary vasoconstriction, 234-235
 in right ventricular dysfunction, 651
- Nose, vasoconstriction of, in awake fiberoptic intubation, 77-78
- Olympus bite block, in fiberoptic intubation, 47
- Opioid receptors, 746-748
 classification, 746
 pharmacokinetics, 748-751
- Optical system, in fiberoptic image transmission, 24-25
- Oral cavity, in fiberoptic laryngoscopy, 54-55
- Orchidopexy, regional blockade for, in children, 806
- Oregon health care rationing initiative, description, 442
- ORG 9426, in children, 796
- Org 9426, for intubation in trauma victims, 404
- Orthopedic injuries, transport-related problems, 410
- Ovassapian airway, in fiberoptic intubation, 48, 49
- Oximetry, accuracy of, 822
 and capnography, relationship, 833
 clinical uses, 822-823
 complications, 823
 in pediatric anesthesia, 821-823
 physiologic factors affecting, 822
 procedure, 821-822
- Oxygen, in fiberoptic intubation, 46
 and hemoglobin, relationship between, 220-221
 in myocardial ischemia, postoperative, 624
- Oxygen deficiency, in myocardial ischemia, acute, 463-466
- Oxygen demand, increased, in myocardial ischemia, acute, 462-463
- Oxygen/hemoglobin dissociation, blood transfusions and, 880
- Oxygen supply, in myocardial infarction, postoperative, 620-622
 in myocardial ischemia, postoperative, 620-622
- Oxygen tension, arterial, hypoxia and, 222
- Oxygen transfer, to the cell, determinants of, 223-224
- Oxygen transport, to the peripheral capillaries, 219-220
 and utilization, 224
- Oxygenation, and blood flow, 219-228
 extracorporeal membrane. *See Extracorporeal membrane oxygenation.*
- Oxymetazoline, in nose vasoconstriction, 78
- $P_{a_{11}}$, measurement of, 204-205
- Pain, in children, methadone for, 754-755
 narcotics for, 745-762
 opioid receptors for, 746-748
 perception of, abnormal, in myocardial ischemia, silent, 494-495
- Obesity, airway problems associated with, 130-134, 157-159

- postoperative, in children, acute pain services for, 814-815
buprenorphine for, 803
intrapleural block for, 805
management, **801-819**
morphine for, 801-803
nurses role in, 812-814
PCA for, 803-804
- Pancreatitis, cardiac surgery and, 386
drug-induced, 385
following abdominal surgery, 385
in ICUs, 384-386
causes, 385-386
conditions associated with, 384
incidence, 384
renal transplantation and, 386
trauma and, 385-386
- Pancuronium, in children, 791-792
- Patil mask, in fiberoptic intubation, 50
- PCA. See *Analgesia, patient-controlled*.
- Peak airway pressure, measurement of, 213-214
- PEEP. See *Positive end-expiratory pressure*.
- PEEPi. See *Positive end-expiratory pressure, intrinsic*.
- Penis, nerve blocks of, in children, 839-840
- Pentobarbital, for intracranial hypertension in head-injured patients, 353
- Peptides, effect on regional circulation, 233
- Percutaneous coronary angioplasty (PTCA), in myocardial ischemia, postoperative, 625-626
previous, in cardiac monitoring, perioperative, 530
- Perfusion pressure, 458-459
- Pericarditis, in immunocompromised patients, 292-293
- Peripheral vascular disease, in cardiac monitoring, perioperative, 529
- Peritoneal dialysis, in drug abuse, 331 and hemodialysis, comparison between, 253
in ICUs, 252-253
- Pharynx, in fiberoptic laryngoscopy, 55
sensory distribution to, 56
- Phenothiazines, overdose of, treatment, 336-337
- Phenylephrine, in myocardial ischemia prevention, 602
in nose vasoconstriction, 78
- Phosphate, high-energy, in myocardial contraction, 479
ph inorganic, in myocardial contraction, 479
- Phosphodiesterase inhibitors, in myocardial ischemia, 603-604
in ventricular dysfunction, 647-648
- Photographic systems, 28-30
- Pipecuronium, in children, 792-793
- Plasmapheresis, in drug abuse, 331-332
- Guillain-Barr syndrome in, 255-256
in ICUs, 253-256
indications, 254-255
technical considerations, 253-254
types, 254
- Platelets, in pediatric anesthesia, 871
- Pneumothorax, fiberoptic bronchoscopy and, 171-172
- Poisoning, unintentional, definition, 327
- Positive end-expiratory pressure (PEEP), intrinsic (PEEPi), in ARDS, 212
in COPD, 209-211
implications of during mechanical ventilation, 206
implications of during spontaneous breathing, 205-206
inspiratory load caused by, reduction strategies, 211
measurement of, 206-207
- Potassium, in myocardial preservation, 679-681
- Practice guidelines, description, 442
- Preload, in cardiac output, 637-638
- Propranolol, for hypertension in head-injured patients, 350-351
- Prostacyclin, in pulmonary vasoconstriction, 237-238
- Prostaglandin E₁, in pulmonary vasoconstriction, 237-238
- Prostaglandins, in pulmonary vasoconstriction, 237-238
in right ventricular dysfunction, 651-652
- Proteins, administration of, effect on respiratory function, 269-270
- Pseudolithiasis, biliary, ceftriaxone-induced, in ICUs, 369
- Pulmonary capillary wedge pressure (PCWP), increase in, and myocardial ischemia, 575-577
- Pulmonary edema, in head-injured patients, 350
- Pulmonary hemorrhage, as cause of respiratory failure, 289-290
- Pulmonary insufficiency, metabolic support, 265-270
- Pulmonary toxicity, chemotherapy and radiation as cause of, 290-291
- Pulmonary vascular resistance, alterations in, mechanics of, 230
definition, 230
determinants of, 230-233
- Pulmonary vasoconstriction, a-adrenergic agonists in, 236-237
anesthetic agents in, 239
angiotensin-converting enzyme inhibitors in, 236
calcium channel blockers in, 236
hydralazine in, 235-236
hypoxic, 233
intravenous fat emulsions in, 238

- Pulmonary vasoconstriction (*Continued*)
 nitrates in, 234-235
 prostaglandins in, 237-238
 Pulse oximetry. *See* *Oximetry*.
- Quality-of-life measures, description, 443
- Radiography, chest, in cardiac morbidity prediction, perioperative, 532
- Radionuclide imaging, in cardiac morbidity prediction, perioperative, 533-534
 of coronary blood flow, in myocardial ischemia detection, silent, 496
 in myocardial infarction, perioperative, 710-716
- Radiotherapy, and pulmonary toxicity, 290-291
- Ranitidine, in pediatric anesthesia, 734
- Rapid Infusion System, in initial resuscitation in trauma victims, 406
- Rationing, description, 443
- Rawlsean philosophy, description, 443
- Red blood cells, in pediatric anesthesia, 870
- Reperfusion, cardiac pump function during, impairment of, 470-472
- Reperfusion injury, in myocardial preservation, 690-692
- Resins, anion exchange, for pseudomembranous colitis, 372
- Respiratory depression, morphine and, 810
- Respiratory drive, malnutrition and, 267
- Respiratory failure, acute, in COPD patients, PEEP in, 210-211
 cardiac disease and, 291
 defective cell-mediated immunity and, 288
 defective humoral immunity and, 288
 diagnosis and management, 291-292
 following bone marrow transplantation, 289
 following transfusions, 289
 in immunocompromised patients, 287-292
 infection and, 287-289
 monitoring and management, 199-218
 neutropenia and, 287-288
 pulmonary hemorrhage and, 289-280
 splenectomy and, 288
 steroids and, 288
 tumor progression and, 291
- Respiratory loads, 205-209
- Respiratory mechanics, 199-218
- Respiratory muscles, metabolism and function, 266-267
- Respiratory system, changes in, following surgery for congenital diaphragmatic hernia, 904-905
- compliance of, measurement of, 207-208
 components, 200
 metabolic aspects, 265
 metabolic substrate support and, 268-270
 static volume-pressure relationship of, measurement of, 207-208
- Resuscitation, in head-injured patients, 348-349
 in trauma victims, 401-402, 406-407
- Retropharyngeal mass, child with, airway problems associated with, 139-141
- Revascularization, coronary, mechanical, in myocardial ischemia, silent, 512-513
- Rheumatoid arthritis, and fixed neck, endoscopic intubation for, 150-152
- Right ventricular ejection fraction (RVEF), measurement of, in myocardial ischemia detection, perioperative, 577
- Robertshaw tubes, confirming position of, 100-101
 insertion, 99-100
 positioning of, fiberoptic confirmation of, 105-107
 role in endobronchial intubation, 99
- Salicylates, overdose of, treatment, 332, 339-340
- Sarcoplasmic reticulum calcium release mechanisms, in myocardial contraction, 478-479
- Scopolamine, in awake fiberoptic intubation, 70-71
- Sedatives, in awake fiberoptic intubation, 71-74
 in fiberoptic intubation, 49
- Seizures, in immunocompromised patients, 300
- Sepsis, extracorporeal methods in, 256
- Sevoflurane, CNS effects, 771
- Shock, in immunocompromised patients, 294-295
- Skin, analgesia of, 845-846
- Sleep, disturbances in, and myocardial ischemia, postoperative, 620
- Smoking, cigarette, in cardiac monitoring, perioperative, 529
- Sodium, in myocardial preservation, 684-685
- Sodium nitroprusside. *See* *Nitroprusside*.
- Spasm, masseter, in malignant hyperthermia, 918-919
 succinylcholine and, 783
- Spinal taps, in infants, 844
- Spine, cervical, extension of, 57
 injuries of, transport-related problems, 410
- Splenectomy, in respiratory failure, 288-289

- Squamous cell carcinoma, oral, recurrent, fiberoptic laryngoscopy in, case study, 117-119
- ST segment, abnormalities in, in cardiac morbidity prediction, perioperative, 537
analysis of, automated, 574
changes in, ECG monitoring of, in myocardial ischemia, 568-575
- Steroids, in respiratory failure, 288
- Stress, psychological, following postoperative myocardial ischemia, causes, 618-620
- "Stress" imaging, pharmacologic, in myocardial ischemia detection, silent, 497-498
- Stridor, following subtotal thyroidectomy, endoscopic intubation for, 152-153
pediatric bronchoscopy for, 168
- Stunning, clinical implications, 485-486
mechanisms, 484-485
- Succinylcholine, advantages, 784-785
in children, 781-785
dose-response relationship of, 781-782
in fiberoptic intubation, 51
hyperkalemia induced by, 784
for intubation in trauma victims, 404-406
and masseter spasm, 783
side effects, 405
- Suction catheters, in fiberoptic intubation, 46
- Sufentanil, in myocardial ischemia, postoperative, 627
- Surfactant, deficiency of, in food-deprived subjects, 266
- Sympathomimetic agents, in congestive heart failure, 643
drug-related hemodynamic effects, 645
in myocardial ischemia, 603
in right ventricular dysfunction, 652
vasoconstrictive properties, 646
- Tachycardia, in cardiac morbidity prediction, perioperative, 537
in head-injured patients, 350-351
- Taurine, in heart failure, 277
- Technetium-isonitrit tracers, in myocardial infarction, perioperative, 715
- Technetium-99m pyrophosphate imaging, in myocardial infarction, perioperative, 713-714
- Technetium pyrophosphate scanning, in myocardial infarction, perioperative, 710-712
- TEE. See *Echocardiography, transesophageal*.
- Teeth, in fiberoptic laryngoscopy, 54
- Temperature, body. See *Body temperature*.
- Thallium imaging, in myocardial infarction, perioperative, 714-715
- The Painful Prescription*, 442
- Theophylline, abuse of, recognition and treatment, 332
- Therapeutic intervention scoring system, description, 439-440
- Thermometer, in body temperature monitoring, 854
- Thermoregulation, during anesthesia, in children, 856-858
normal, 849-853
- Thoracic trauma, transport-related problems, 410
- Thrombocytopenia, dilutional, blood transfusions and, 873-874
- Thrombolysis, in myocardial ischemia, postoperative, 625
- Thrombolytic agents, in myocardial ischemia, postoperative, 624
- Thrombosis, coronary, postoperative, treatment, 622-626
venous, acute mesenteric, in ICUs, 382
- Thyroidectomy, stridor following, endoscopic intubation for, 152-153
- TISS, description, 439-440
- Tongue, in fiberoptic laryngoscopy, 54-55, 56
sensory innervation of, 56
- Tonsillitis, recurrent, fiberoptic laryngoscopy in, case study, 116-117
- Toxicity, pulmonary, chemotherapy and radiation as cause of, 290-291
- Toxicologic screening, in drug abuse, 328-330
- Trachea, anatomy, 98-99
in fiberoptic laryngoscopy, 58-60
- Tracheobronchial model, 178-179
endobronchial tube positioning in, 181
- Transfusion, massive, and acid-base balance, 877
clotting factor deficiency in, 872-873
coagulopathy of, 872
and hyperkalemia, 874-876
and hypocalcemia, 876-877
and hypothermia, 877-880
and oxygen/hemoglobin dissociation, 880
during surgery in children, 871-880
and thrombocytopenia, 873-874
in myocardial ischemia, postoperative, 624
respiratory failure associated with, 289
- Transplantation. See specific types, e.g., *Bone marrow transplantation*.
- Transtacheal blocks, in airway analgesia in awake fiberoptic intubation, 79-80
- Trauma, airway management in, 402-406
airway problems associated with, 136-139
anesthesia in, 393-421. See also *Anesthesia/anesthetics, trauma*.

Trauma (*Continued*)

- assessment and resuscitation of, 401-402
 - as cause of pancreatitis, 385-386
 - critical care for, organization of, 396-401
 - epidemiology, 394-396
 - initial volume resuscitation in, 406-407
 - intubation in, 402-406
 - morbidity and mortality related to, 394-396
 - multiple, in depressed patient, endoscopic intubation for, 149-150
 - perioperative management, 401-407
 - transport of, 407-411
 - aerial versus ground, 407-408
 - anesthesia and analgesia during, 410-411
 - intrahospital, 409-410
 - medical considerations, 410
 - physiologic changes during, 408-409
 - Trauma anesthesiologist, role of, 400-401
 - Trauma centers, 398-400
 - Trauma systems, 396-398
 - Treadmill test, in cardiac morbidity
 - prediction, perioperative, 532
 - in myocardial ischemia detection, silent, 495-496
 - Triage, description, 444
 - Tricyclic antidepressants, overdose of, treatment, 335-336
 - D-Tubocurarine, in children, 791-792
 - Tumors, spread of, and respiratory failure, 291
- Ulcers, Curling's, 373
 Cushing's, 373
 stress, bleeding, in ICUs, incidence, 373-374
 in ICUs, 372-375
 clinical setting, 372-373
 incidence, 372
 pathogenesis, 373
 treatment, 374-375
 Univent tube, 101, 102
 Utilitarianism, description, 444
- V waves, and myocardial ischemia, 575-577
 Valvular heart disease, in cardiac monitoring, perioperative, 529
 Vancomycin, for pseudomembranous colitis, 371-372
 Vascular abnormalities, pulmonary, in congenital diaphragmatic hernia, 900-902
 Vascular resistance, pulmonary. See *Pulmonary vascular resistance*.
 Vascular surgery, high-risk cardiac patients for, 359-366
 identification of, 359-360
 pharmacologic therapy, 362-363
 postoperative management, 363
 preoperative preparation, 362
 screening tests for, 360-362
 Vasoconstriction, pulmonary. See *Pulmonary vasoconstriction*.
 Vasoconstrictors, in myocardial ischemia, 601-602
 topical, in airway analgesia in awake fiberoptic intubation, 77-78
 Vasodilators, in congestive heart failure, 642
 in myocardial ischemia, postoperative, 624
 pulmonary, 233-239
 Vasoospasm, postoperative, treatment, 622-625
 Vecuronium, in children, 788-791
 Venous thrombosis, acute mesenteric, in ICUs, 382
 Ventilation, extracorporeal support of, 256-257
 high-frequency, in congenital diaphragmatic hernia, 906-907
 isocapnic, in pediatric anesthesia, 826-828
 mechanical, in congenital diaphragmatic hernia, 905-906
 implications of PEEPi during, 206
 nutritional aspects of, 267-268
 Ventricular function, compromised, in cardiac morbidity prediction, perioperative, 539
 outcome studies, 670-672
 perioperative management, 637-656
 left, compromised, acute versus chronic, treatment, 641-649
 right, compromised, challenges of, 649-650
 treatment, 650-652
 Vital capacity, measurement of, 201
- Wall motion, regional, abnormalities of, in myocardial ischemia detection, silent, 496-497
 segmental, abnormalities of, TEE in detection of, 581-590
 scoring system, 584
 Warfarin, in myocardial ischemia, postoperative, 623, 624
 Williams airway, in fiberoptic intubation, 48
 Wounds, gunshot, of neck, endoscopic intubation for, 146-149

